

SEQUENCE LISTING

<110> Glazer, Peter M.
 <120> Triple-Helix Forming Oligonucleotides for Targeted Mutagenesis
 is
 <130> YU 132
 <150> US 09/411,291
 <151> 1999-10-04
 <150> US 08/476,712
 <151> 1995-06-07
 <160> 9
 <170> PatentIn version 3.1
 <210> 1
 <211> 10
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide AG10
 <400> 1
 aggaaggggg
 10
 <210> 2
 <211> 20
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Oligonucleotide AG20
 <400> 2
 aggaaggggg gggtggtggg
 20
 <210> 3
 <211> 30
 <212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide AG30

<400> 3

aggaaggggg ggggtgggtggg ggaggggggag
30

<210> 4

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide Mix30

<400> 4

agtcagtcag tcagtcagtc agtcagtcag
30

<210> 5

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Triplex target site in supFG1

<400> 5

tccttcccc cccaccaccc cctccccctc
30

<210> 6

<211> 124

<212> DNA

<213> Artificial Sequence

<220>

<223> supFG1 partial sequence

<400> 6

gaattcgaga gccctgctcg agctgtgggtg gggttcccca gcggccaaag ggagcagact
60

ctaaatctgc cgtcatcgac ttccaaggtt cgaatccttc cccccccacc accccctccc
120

cctc
124

<210> 7
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide SCR30

<400> 7
ggaggagtgg aggggagtga gggggggggg
30

<210> 8
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> (A) donor fragment

<400> 8
agggagcaga ctctaaatct gccgtcatcg acttcgaagg
40

<210> 9
<211> 77
<212> DNA
<213> Artificial Sequence

<220>
<223> A-AG30

<220>
<221> misc_feature
<222> (41)..(41)
<223> 9-atom polyethylene glycol linker

<220>

<221> misc_feature
<222> (44)..(44)
<223> 9-atom polyethylene glycol linker

<220>
<221> misc_feature
<222> (47)..(47)
<223> 9-atom polyethylene glycol linker

<400> 9
agggagcaga ctctaaatct gccgtcatcg acttcgaagg nttnttnagg aagggggggg
60

tggtggggga gggggag
77